Orthopaedic

Product Range Guide



The conservative management of soft tissue injuries, fractures and orthopaedic conditions requires a broad range of high-quality, clinically effective products that are easy to use, cost-effective and maintain patient quality of life.

This range provides an all-encompassing portfolio to meet the treatment needs of patients requiring primary and/or secondary immobilisation through to posthealing rehabilitation.

Casting and Splinting Workshops

Essity has an ongoing commitment to educational support for clinicians involved in the provision of casting and splinting services in the healthcare environment. Training is offered in the form of in-services or educational workshops (with hands-on activity) to ensure all clinicians understand the appropriate and cost effective use of our products.

There is also a range of educational resources including application posters, instructional videos, application manuals and usage guides to assist in treatment management.

If you would like more detailed information about the education services on offer, please contact Essity Customer Service on 1300 276 633.

Contents

Non-invasive fracture treatment pathway	4
Primary Immobilisation	
Dynacast® Prelude	5
Gypsona®	6
Gypsona® Extra 3	7
Specialist®	8
Tensoplast [®] Skin Traction Kit	9
Secondary Immobilisation	
Delta-Lite® Plus	10
Delta-Cast [®] Elite	11
Delta-Cast® Prints	12
Delta-Cast® Soft	13
Undercast Materials	
Soffban® Natural	14
Soffban® Synthetic	15
Artiflex [®] Soft	16
Velband™	17
AquaCast® Liner	18
Delta-Dry®	19
Protouch [®] Stockinette	20
Delta Terry-Net™ S	21
Cast Removal Equipment	
deSoutter Cast Saw CC4	22
deSoutter Cast Saw CC5	23
deSoutter Battery Powered Saw – CSB-100	24
deSoutter Battery/Mains Powered Saw CSP-201	25
Cast Room Accessories	26



```
Cast Protection
Cast Shoes
```

27

Orthopaedic Soft Goods

-	
Actimove® Genu Knee Immobiliser	28
Actimove® Genu Tri-Panel Knee Immobiliser	29
Actimove [®] Lower Leg Walker	30
Actimove [®] Solea	31
Actimove [®] Umerus Comfort	32
Actimove [®] Umerus	33
Actimove® Mitella Comfort	34
Actimove® Mitella	35
Actimove® Mitella for Kids	36
Actimove [®] Sling	37
Actimove [®] Sling for Kids	38
Actimove [®] TaloMotion	39
Actimove [®] GenuMotion	40
Actimove [®] ManuMotion	41
Actimove® Rhizo Forte	42
Actimove® Manus Forte	43
Actimove® Manus Forte Plus	44
Actimove® EpiMotion	45
Actimove® Cervical	46
Actimove® Vertebrace	47

Please Note: Not all products available in New Zealand

Non-invasive fracture treatment pathway

Treatment Pathway	Objective	Considerations	Product Options
Primary Immobilisation	 Reduce and stabilise fracture Manage soft tissue injury Reduce oedema 	PainOedemaFracture stabilityWound management	 Gypsona[®] Gypsona[®] Extra 3 Specialist[®] Dynacast[®] Prelude Tensoplast[®] Traction Kits Actimove[®] Supports Elastolite[®]
Secondary Immobilisation	Maintain alignmentAchieve unionPromote bone growth	 Muscle atrophy Skin deterioration Non/mal union Joint stiffness Wound management 	 Delta-Lite[®] Plus Delta-Cast[®] Elite Delta-Cast[®] Prints Delta-Cast[®] Soft Actimove[®] Supports
Supra and Sub Cast Protection	Protect limb/soft tissueProtect castPosition limb	 Skin sensitivity Maceration Pressure sores Smell Cast breakdown 	 Soffban[®] Natural Soffban[®] Synthetic Artiflex[®] Soft Velband[®] AquaCast[®] Liner Delta-Dry[®] Protouch[®] Stockinette Delta Terry-Net[™] S BSN Cast Shoe
Cast Removal	 Remove cast quickly and safely 	Saw and dust inhalationHeat build up	deSoutter Cast SawsCast Shears and Spreaders
Post Healing Rehabilitation	 Protect injury site Regain strength and mobility 	 Protect injury site Regain strength and mobility 	 Actimove® Genu Eco Actimove® Genu Tri-Panel Actimove® Lower Leg Walker Actimove® Umerus Comfort Actimove® Umerus Actimove® Mitella Comfort Actimove® Mitella Arm Sling Actimove® Mitella for Kids Actimove® Sling Actimove® Sling for Kids Actimove® Genu Motion Actimove® Manus Forte Actimove® Manus Forte Plus Actimove® Cervical Actimove® Rhizo Forte Actimove® Rhizo Forte

Non-invasive fracture treatment pathway

Secondary Immobilisation

Primary

Immobilisation

Undercast Materials

Cast Removal Equipment

Cast Protection Orthopaedic Soft Goods

Dynacast[®] Prelude

Acute Synthetic Splinting System





· Primary immobilisation of acute fractures and

- All in one system
- High conformability •
- · Easy moulding

•

- Smooth splint surface •
- Easy to cut •
- Lightweight

Dynacast[®] Prelude is an acute synthetic splinting system combining polyurethane coated fibreglass and polypropylene padding. Dynacast® Prelude comes pre-assembled and ready to use, giving a cost effective splinting alternative to traditional ways of providing support and immobilisation.

Single layer knit design

Dynacast[®] Prelude is constructed using an innovative 3D knitting process, which produces a single interlocking knit layer construction. This construction ensures high conformability to the limb, optimum splint smoothness and increased patient comfort throughout the term of the treatment.



soft tissue injuries

Indications

Ordering information

Ref. No.	Size	Items per Unit
Roll Presentation		
71418-00	2.5cm x 4.6m	1 roll
71420-00	5cm x 4.6m	1 roll
71421-00	7.5cm x 4.6m	1 roll
71415-00	10cm x 4.6m	1 roll
71416-00	12.5cm x 4.6m	1 roll
71417-00	15cm x 4.6m	1 roll
Pre-Cut Lengths		
72869-00	5cm x 25cm	bx/5
47222-00	7.5cm x 30cm	bx/5
47225-00	10cm x 40cm	bx/5
47226-00	10cm x 76cm	bx/4
47235-00	12.5cm x 76cm	bx/4

Contents

Non-invasive fracture treatment pathway

Secondary Immobilisation

Primary

Immobilisation

Undercast Materials

Cast Removal Cast Equipment Protection Orthopaedic Soft Goods

Gypsona[®] Plaster of Paris Bandage




- Fast immobilisation of fractures
- Leno cloth for good conformability and stability
- Rich creamy texture
- Low plaster loss
- Moisture resistant packaging

Gypsona[®] Plaster of Paris (POP) bandages are made from a leno cloth, uniformly impregnated with a high quality fast setting Plaster of Paris, which has a rich creamy texture for easy handling. The interlocked weave of the leno cloth makes the wet bandages stable, conformable and easy to mould and minimises plaster loss.

Benefits

Gypsona[®] retains the Plaster of Paris on the cloth so plaster loss is at a minimum whilst soaking and when being moulded. The cloth permits Gypsona[®] to be accurately and easily moulded to give a smooth inside surface and uniform thickness.

Gypsona[®] will set and harden quickly to give strong immobilisation for trauma and corrective work.





Indications

- For external splinting of fractures
- Immobilisation of diseased bones and joints
- Correction of deformities
- Emergency splinting

Ordering information

Gypsona® B.P. Plaster Bandages

Ref. No.

Making negative and positive casts

7198

71987-51 5cm x 2.75m 12 rolls/bx 71987-54 7.5cm x 3.5m 24 rolls/bx 71987-40 10cm x 3.5m 24 rolls/bx 71987-45 15cm x 3.5m 12 rolls/bx 71987-50 20cm x 3.5m 12 rolls/bx Gypsona[®] Slab Dispenser - 5 Ply

Size

 71988-22
 10cm x 20m
 1 roll

 71988-23
 15cm x 20m
 1 roll

 71988-24
 20cm x 20m
 1 roll



Non-invasive fracture treatment pathway

Primary Immobilisation

Secondary Immobilisation

Undercast ution Materials Cast Removal Equipment Cast Orthopaedic Protection Soft Goods

Items per Unit

6

Gypsona® Extra 3

Plaster of Paris Bandage




- Leno weave gauze for good conformability and stability
- Rich creamy texture
- Low plaster loss
- · Moisture resistant packaging
- Rapid immobilisation of fractures

Gypsona® Extra 3 Plaster of Paris (POP) bandages are made from a leno weave gauze, uniformly impregnated with a high quality fast setting Plaster of Paris, which has a rich creamy texture for easy handling. The interlocked weave of the leno gauze makes the wet bandages stable, conformable and easy to mould as well as minimising plaster loss.



Indications

- External splinting of fractures
- Immobilisation of diseased bones and joints
- Correction of deformities
- Emergency splinting
- Making negative and positive casts



Primary

Ordering information

Ref. No.	Size	Items per Unit
71987-57	7.5cm x 3.5m	24 rolls/bx
71987-58	10cm x 3.5m	24 rolls/bx
71987-59	15cm x 3.5m	24 rolls/bx
71987-60	20cm x 3.5m	24 rolls/bx

Cast

Protection



Non-invasive fracture treatment pathway

Secondary Immobilisation

Immobilisation


Undercast Materials

Cast Removal Equipment

Orthopaedic Soft Goods

7

Specialist[®] Plaster of Paris Bandage



- Excellent strength
- Extra fast setting
- Low plaster loss

Specialist[®] Plaster of Paris uses a time-tested formula and manufacturing process to produce a consistent plaster that is uniformly coated and firmly adhered to the gauze. The result is a plaster with high dry/wet plaster retention. This means that more plaster is applied to the cast and not wasted in the wrapper or dip bucket. Specialist[®] casts have early green strength thus reducing the time that the cast is vulnerable to distortion

Benefits

Traditional dry formula feel and easy to use characteristics of traditional plaster.

Consistency Eliminates the need to adjust the application technique. No variation in quality from roll-to-roll.

High wet/dry plaster retention More plaster on the roll.

Early high green strength Minimises the period when casts may be vulnerable to distortion.

Strength Provides casts that are ideal for a wide range of applications.



Indications

- Fracture management
- Podiatry
- Talipes Equinovarus

Ordering information

Ref. No.	Size	Items per Unit
72258-00	7.5cm x 4.5m	24 rolls/bx
72258-01	10cm x 4.5m	24 rolls/bx
72258-02	15cm x 4.5m	24 rolls/bx
72258-03	20cm x 4.5m	24 rolls/bx



Non-invasive fracture treatment pathway

Primary Immobilisation Secondary Immobilisation Undercast Materials Cast Removal Equipment Cast Orthopaedic Protection Soft Goods

Tensoplast® Skin Traction Kit

Adhesive and Non-Adhesive Skin Traction Kits



Low Allergy, Adhesive Skin Traction Kit

- Low allergy adhesive
- Excellent conformability for easy application
- Reliable and secure
- Compression bandage for extra security

Non-Adhesive Skin Traction Kit

- High performance elastic bandage for extra security
- Good skin friction characteristics
- High conformability for easy application



Indications

- Abrasions or skin lacerations
- Impairment of circulation
- Traction weight greater than that which can be applied through the skin

Ordering information

Ref. No.	Size	Items per Unit
71544-00	Adhesive (Adult)	bx/1
71554-00	Adhesive (Child)	bx/1
71555-00	Non-Adhesive (Adult)	bx/1
71556-01	Non-Adhesive (Child)	bx/1

Non-invasive fracture treatment pathway

Primary Immobilisation

Secondary Immobilisation

Undercast tion Materials Cast Removal Equipment

I Cast Protection Orthopaedic

Delta-Lite® Plus

Fibreglass Casting Bandage



- Greater conformability
- Easy to apply
- High lamination

Delta-Lite[®] Plus is a fibreglass cast tape that combines a fibreglass substrate and advanced water activated polyurethane resin system which provides tack free properties. The tack free properties allow ease of application and moulding, using standard examination gloves.

Easy to Apply

The resin formulation has improved the unrolling tension of the bandage, making it easier to apply the cast, using standard examination gloves.

Greater Conformability

The heat treated substrate of Delta-Lite[®] Plus improves the conformability, providing greater moulding capabilities for rigid primary and secondary casting applications.

High Lamination

The resin system also ensures maximum lamination and end laydown, resulting in a smooth finished cast which is strong, long lasting and lightweight.

Indications

Primary immobilisation of acute fractures and soft tissue injuries



Ordering information

Ref. No.	Size	Items per Unit
White		
73458-01	5cm x 3.6m	bx/10 rolls
73458-02	7.5cm x 3.6m	bx/10 rolls
73458-03	10cm x 3.6m	bx/10 rolls
73458-04	12.5cm x 3.6m	bx/10 rolls
Red		
73458-30	5cm x 3.6m	bx/10 rolls
73458-31	7.5cm x 3.6m	bx/10 rolls
73458-32	10cm x 3.6m	bx/10 rolls
Blue		
73458-20	5cm x 3.6m	bx/10 rolls
73458-21	7.5cm x 3.6m	bx/10 rolls
73458-22	10cm x 3.6m	bx/10 rolls
73458-23	12.5cm x 3.6m	bx/10 rolls
Black		
73458-45	5cm x 3.6m	bx/10 rolls
73458-46	7.5cm x 3.6m	bx/10 rolls
73458-47	10cm x 3.6m	bx/10 rolls
Pink		
73458-55	5cm x 3.6m	bx/10 rolls
73458-56	7.5cm x 3.6m	bx/10 rolls
73458-57	10cm x 3.6m	bx/10 rolls
Green		
73458-25	5cm x 3.6m	bx/10 rolls
73458-26	7.5cm x 3.6m	bx/10 rolls
73458-27	10cm x 3.6m	bx/10 rolls
Mixed Pack*		
73458-50	5cm x 3.6m	bx/10 rolls
73458-51	7.5cm x 3.6m	bx/10 rolls
73458-52	10cm x 3.6m	bx/10 rolls

* Mixed pack: Contains 2 Deep Blue, 2 Light Blue, 2 Purple, 2 Deep Red, 2 Pink. Colors and availability subject to change. Please refer to the product label and/or package insert for full instructions on the safe use of these products.

Contents

Primary Immobilisation Secondary Immobilisation

lary Undercast ilisation Materials

t	Cast Removal	Cast	Orthopaedic
	Equipment	Protection	Soft Goods

Delta-Cast® Elite

Polyester Casting Bandage



- Easy to apply
- Clear radiograph viewing
- Very conformable
- Rigid support

Delta-Cast[®] Elite has been designed with ease of application and patient comfort in mind. Our patented fibreglass-free casting material combines strength and rigidity with soft edges for enhanced patient comfort.

Patented Fibreglass-Free Substrate

Delta-Cast[®] Elite has a patented polyester substrate featuring extensible yarns that easily shape to body contours, providing enhanced moulding capabilities for both primary and secondary casting applications and producing less dust during cast removal.

Patented Resin System

Ensures maximum lamination and end laydown for strong, long-lasting casts.

Indications

 Rigid primary and secondary casting applications where enhanced radiograph viewing is important



Ordering information

Ref. No.	Size	Items per Unit
White		
72279-00	5cm x 3.6m	bx/10 rolls
72279-01	7.5cm x 3.6m	bx/10 rolls
72279-02	10cm x 3.6m	bx/10 rolls
72279-03	12.5cm x 3.6m	bx/10 rolls
Red		
72275-00	5cm x 3.6m	bx/10 rolls
72275-01	7.5cm x 3.6m	bx/10 rolls
72275-02	10cm x 3.6m	bx/10 rolls
Blue		
72276-00	5cm x 3.6m	bx/10 rolls
72276-01	7.5cm x 3.6m	bx/10 rolls
72276-02	10cm x 3.6m	bx/10 rolls
Purple		
72277-00	5cm x 3.6m	bx/10 rolls
72277-01	7.5cm x 3.6m	bx/10 rolls
72277-02	10cm x 3.6m	bx/10 rolls
Black		
72278-00	5cm x 3.6m	bx/10 rolls
72278-01	7.5cm x 3.6m	bx/10 rolls
72278-02	10cm x 3.6m	bx/10 rolls
Pink		
73455-00	5cm x 3.6m	bx/10 rolls
73455-01	7.5cm x 3.6m	bx/10 rolls
73455-02	10cm x 3.6m	bx/10 rolls
Green		
73454-00	5cm x 3.6m	bx/10 rolls
73454-01	7.5cm x 3.6m	bx/10 rolls
73454-02	10cm x 3.6m	bx/10 rolls
Mixed Pack		
73457-00	5cm x 3.6m	bx/10 rolls
73457-01	7.5cm x 3.6m	bx/10 rolls
73457-02	10cm x 3.6m	bx/10 rolls

Contents

Non-invasive fracture treatment pathway

Primary Secondary Immobilisation Immobilisa

Secondary Undercast Immobilisation Materials

Cast Removal Equipment

emoval Cast nent Protection Orthopaedic Soft Goods

Delta-Cast[®] Prints

Patterned Polyester Casting Bandage



- Easy to apply ٠
- Smooth finish, soft edges •
- Clear radiograph viewing •
- Available in five popular patterns •

Delta-Cast® Prints has been designed with ease of application and patient comfort in mind. Our patented fibreglass-free casting material combines strength and rigidity with soft edges for enhanced patient comfort.

Delta-Cast® Prints large range of colourful patterns assist in overcoming anxiety of patients when having their cast applied.

Fibreglass-Free Substrate

Delta-Cast[®] Prints is comprised of polyester substrate which features extensible yarns that easily shape to body contours, providing enhanced molding capabilities for both primary and secondary casting applications and produces less dust during cast removal.

Patented Resin System

The resin formula of Delta-Cast® Prints with slip agent surfactant creates a slippery touch during working time for an optimal moulding feeling. This gives you the freedom to work with the glove of your choice, giving you a reliable precise working window.



Indications

• Rigid primary and secondary casting applications where enhanced radiograph viewing is important

Ordering information

Ref. No.	Size	Items per Unit
72273-22	Camouflage 5cm x 3.6n	
72273-06	Camouflage 7.5cm x 3.6	
72273-20	Paw Prints 5cm x 3.6n	by/10 rolle
72273-21	Paw Prints 7.5cm x 3.6	by/10 rolle
72273-07	Pastel 7.5cm x 3.6	m bx/10 rolls
72273-17	Pastel 5cm x 3.6n	h bx/10 rolls
72273-02	Dinosaurs 5cm x 3.6n	h bx/10 rolls
72273-05	Teddy Bear 5cm x 3.6n	

Contents

Non-invasive fracture treatment pathway

Secondary Primary Immobilisation

Immobilisation

Undercast Materials

Cast Removal Equipment

Cast Protection Orthopaedic Soft Goods

12

Delta-Cast® Soft

Semi-Rigid Polyester Casting Tape



- High conformability
- Controllable set time •
- Superior durability •
- High patient comfort •
- Earlier patient mobility •
- Versatile applications

Delta-Cast® Soft is fibreglass-free and was designed to provide variable support to fractures and soft tissue injuries. Its semi-rigidity allows for more flexibility and mobility, thus helping to reduce immobilisation related problems such as atrophy or joint stiffness. As a result, the overall healing process tends to be shortened.

Fibreglass-Free Substrate

Delta-Cast[®] Soft has multi-directional knit polyester substrate for excellent conformability, wrinkle free applications and enhanced moulding capabilities.





Indications

• Casting applications where a semi-rigid cast is required. Most commonly used for Talipes, serial casting and can be removed using scissors or by unwrapping

Ordering information

Ref. No.	Size	Items per Unit
White		
72708-02	2.5cm x 1.8m	bx/10 rolls
72708-12	5cm x 3.6m	bx/10 rolls
72708-22	7.5cm x 3.6m	bx/10 rolls
72708-32	10cm x 3.6m	bx/10 rolls
Red		
72708-08	5cm x 3.6m	bx/10 rolls
72708-18	7.5cm x 3.6m	bx/10 rolls
72708-28	10cm x 3.6m	bx/10 rolls
Blue		
72708-05	5cm x 3.6m	bx/10 rolls
72708-15	7.5cm x 3.6m	bx/10 rolls
72708-25	10cm x 3.6m	bx/10 rolls



Non-invasive fracture treatment pathway

Primary Secondary Immobilisation

Immobilisation

Undercast Materials

Cast Removal Cast Equipment

Orthopaedic Protection Soft Goods

13

Soffban[®] Natural

Natural Orthopaedic Padding



- Absorbent
- Conformable
- Easy to tear
- Soft
- Autoclavable
- Paper wrapped

Soffban[®] Natural has been developed to provide the conformability and easy handling normally associated with synthetic paddings, whilst providing the softness and absorbency of a natural padding. This makes it ideal for use under Gypsona[®] Plaster of Paris bandages.

Advantages

Absorbent – The Soffban® Natural fleece absorbs sweat and exudate, reducing the risk of skin maceration and irritation, particularly in hot climates.

Conformable – Soffban[®] Natural conforms well around awkward body contours, eliminating the need for pleats or tucks during application, to produce even coverage and reduce the chance of pressure points.

Easy to tear – Soffban[®] Natural tears and teases apart easily, aiding rapid application and reducing the risk of stressing the fracture while finishing padding application.



Non-invasive fracture treatment pathway

Primary Sec Immobilisation Imm

Secondary Immobilisation

sation Materials

Undercast Cast F Materials Equip

Cast Removal (Equipment F

al Cast Protection

14

Orthopaedic

Soft Goods

Undercast Materials



Autoclavable – Soffban[®] Natural is autoclavable making it suitable for use in theatre, or for any procedures where sterility is desirable.

Paper-Wrapped – The paper wrap on Soffban Natural does not need to be removed for autoclaving, but maintains the integrity of the roll during this process.

Indications

- · Padding of orthopaedic conditions
 - POP casts
 - Synthetic casts
- Compression bandaging

Ordering information

Ref. No.	Size	Items per Unit
71472-00	5cm x 2.7m	12 rolls
71473-00	7.5cm x 2.7m	12 rolls
71469-00	10cm x 2.7m	12 rolls
71470-00	15cm x 2.7m	12 rolls
Sterile		
71477-07	7.5cm x 2.7m	ctn/112 rolls
71477-05	10cm x 2.7m	ctn/90 rolls
71477-06	15cm x 2.7m	ctn/18 rolls

Soffban[®] Synthetic

Water-Resistant Orthopaedic Padding



- Highly conformable for easy shaping to all body contours and joints
- Easily tearable for quick and trouble free application
- High loft for maximum cushioning and protection
- Feathers out easily, giving a smooth finish
- Low moisture absorbency minimises skin maceration

Soffban[®] is a comfortable, soft and smooth orthopaedic padding. It features a high loft for maximum cushioning and protection and feathers out easily, giving the padding a smooth finish.

Soffban® is highly conformable for easy shaping around awkward body contours and joints. The padding is resistant to moisture absorbency, minimising the risk of skin maceration. Soffban is easily tearable for quick, trouble-free application and is also autoclavable, making it suitable for use in theatre or sterile procedures.



Indications

- Padding of orthopaedic conditions
 - POP casts
 - Synthetic casts
- Compression bandaging

Ordering information

Ref. No.	Size	Items per Unit
71464-01	5cmx 2.7m	12 rolls
71467-01	7.5cm x 2.7m	12 rolls
71486-05	10cm x 2.7m	12 rolls
71465-01	15cm x 2.7m	12 rolls
Sterile		
71486-07	10cm x 2.7m	ctn/90 rolls
71486-08	15cm x 2.7m	ctn/18 rolls

Undercast Materials

Non-invasive fracture treatment pathway

Primary S Immobilisation I

Secondary Immobilisation Undercast Materials Cast Removal Equipment

Cast Orthopaedic Protection Soft Goods

Artiflex[®] Soft Orthopaedic Padding





- Provides excellent cushioning and soft for patient protection
- Padding allows moisture to pass through so it can evaporate
- Provides exceptional conformability and a smooth profile
- Padding can be sterilized for theatre use

Artiflex[®] Soft synthetic cast padding is composed of a blend of 85% polyester and 15% polyolefin providing excellent protection and comfort to the patient. Polyester retains good wicking properties, which allows it to transport moisture and rapidly dry out.



Ordering information

Ref. No.	Size	Items per Unit
45273/2	5cm x 2.7m	pk/6 rolls
45274/2	7.5cm x 2.7m	pk/6 rolls
45277/2	10cm x 2.7m	pk/6 rolls
45278/2	15cm x 2.7m	pk/6 rolls

Undercast Materials

Contents

Non-invasive fracture treatment pathway

Primary See Immobilisation Imm

Secondary Immobilisation Undercast Materials Cast Removal Equipment

oval Cast nt Protection

16

Orthopaedic

Velband[™] Absorbent Orthopaedic Padding



Velband[™] is hypoallergenic bandage with a unique three-layer structure for easy application and longterm comfort. It provides excellent cushioning and moisture management under Plaster of Paris or synthetic casts, avoiding irritation and pressure sores by keeping the skin dry and comfortable.

Velband[™] is easy to handle and remove, and is autoclavable for theatre use.



Indications

- Padding of orthopaedic conditions
 - POP casts
 - Synthetic casts
- Compression bandaging

Ordering information

Unit
;
;
;

Contents

Non-invasive fracture treatment pathway

re Primary Immobilisation

Secondary n Immobilisation

uy Ur isation M

Undercast Materials

Cast Removal Equipment

val Cast Protection

17

Orthopaedic

Soft Goods


AquaCast® Liner Waterproof Cast Liner



AquaCast[®] is a waterproof cast liner specially designed to reduce the incidence of problems associated with synthetic casts. AquaCast® allows water to drain quickly from the ends of the cast, enabling patients to shower and bathe as normal and avoid the hassles associated with keeping traditional casts dry.



AquaCast[®] is highly conformable, with the adhesive coating on one side of the liner allowing for easy application and minimal slippage on the limb.



Removal of the cast is also simplified by use of the Saw Stop cut-resistant strip under the cast, which increases the safely margin during saw contact.





Indications

- Injury:
 - Non-displaced and minimally displaced fractures
 - Sprains
 - Post operative (healed incisions)
- Treatment:
 - Short-arm and below-knee casts
 - Hydrotherapy
 - Sports people and others with an active lifestyle
 - Patients facing particular care and hygiene issues, especially incontinence

Ordering information

Ref. No.	Size	Items per Unit
Waterproof Cast	Liner	
73363-00	5cm x 1.7m	bx/12
73363-01	7.5cm x 1.7m	bx/12
73363-02	10cm x 1.7m	bx/12
73363-03	15cm x 1.7m	bx/12
Hipster Protectiv	re Liner	
73363-04	Size 2	pk/1
73363-05	Size 4	pk/1
73363-06	Size 6	pk/1
73363-07	Size 8	pk/1
Saw Stop Strip		
73363-08	3.1cm x 3m	1 roll
73363-09	Zip Stick	ea

Primary Immobilisation

Secondary Immobilisation

Undercast Materials

Cast Removal Cast Equipment Protection Orthopaedic Soft Goods

Delta-Dry[®] Water Resistant Cast Padding



• Conformable

- Water resistant
- Traditional cast removal with no extra • components needed

The unique patented technology in Delta-Dry® has created a water resistant cast padding which allows easy application by the clinician and affords the patient all the lifestyle benefits of a cast they can get wet.

Advantages

- · Allows patients to shower, swim and bathe like normal
- No special tools are needed for application or removal
- Conformable enabling patient to having increased comfort and protection
- Easy to apply
- Better long term water resistance
- Offers more under cast protection
- Eliminates the need • for stockinette



Primary



Indications

- Non-displaced and minimally displaced fractures
- Sprains
- Post operative (healed incisions)

Ordering information

Ref. No.	Size	Items per Unit
Bandage		
73443-00	5cm x 2.4m	bx/12
73443-01	7.5cm x 2.4m	bx/12
73443-05	10cm x 2.4m	bx/12
Softliner		
72779-01	2.5cm x 10m	bx/1
72779-02	5cm x 10m	bx/1
72779-03	7.5cm x 10m	bx/1
72779-04	10cm x 10m	bx/1
72779-05	12.5cm x 10m	bx/1



Non-invasive fracture treatment pathway

Secondary Immobilisation Immobilisation

Undercast Materials Equipment

Cast Removal Cast Protection Orthopaedic Soft Goods

19

Protouch® Stockinette

Synthetic and Cotton Stockinette





- Available in synthetic or cotton
- Conformable and easy to use
- Available in a wide range of sizes

Protouch® synthetic and cotton stockinettes provide patients with optimum comfort at the critical juncture where the skin meets the cast.

Protouch® Synthetic Stockinette

- Made of synthetic fibres to retract moisture away from the skin for rapid evaporation
- Soft and conformable providing good cushioning and comfort to the patient
- Stretches to three times its normal width to conform to an arm, leg or body
- Available in a variety of sizes for all casting • applications

Protouch® Cotton Stockinette

- · Ideal material for an initial undercast layer
- Made of a high-grade knitted cotton
- Soft and conformable providing good cushioning and comfort to the patient
- Stretches to three times its normal width to conform to an arm, leg or body
- · Available in a variety of sizes for all casting applications

Ordering information

Size	Items per Unit
nette	
2.5cm x 22.75m	bx/1
5cm x 22.75m	bx/1
7.5cm x 22.75m	bx/1
10cm x 22.75m	bx/1
20cm x 22.75m	bx/1
te	
2.5cm x 22.75m	bx/1
5cm x 22.75m	bx/1
7.5cm x 22.75m	bx/1
10cm x 22.75m	bx/1
	2.5cm x 22.75m 5cm x 22.75m 7.5cm x 22.75m 10cm x 22.75m 20cm x 22.75m 20cm x 22.75m 5cm x 22.75m 7.5cm x 22.75m 7.5cm x 22.75m



Non-invasive fracture treatment pathway

Secondary Immobilisation Immobilisation

Primary

Undercast Materials

Cast Removal Equipment

Cast

Orthopaedic Protection Soft Goods

Delta Terry-Net[™] S

Terry Cloth Stockinette





- Conformable and easy to apply
- Cost-effective roll presentation •
- Soft for patient comfort and protection
- Lightweight, flexible and durable

Delta Terry-Net S is for use where extra patient comfort is required. Supplied in an easy-to-use dispensing box for improved storage and handling, Delta Terry-Net[™] S is latex free.

Terry Knit Design

The terry knit design of Delta Terry-Net[™] S allows clinicians greater flexibility to accommodate varying limb sizes as well as increased treatment flexibility in the management of specialised casting indications, such as total contact casting. The terry knit design also allows for enhanced protection to fragile skin when managing skin tears.

Terry Knit Fibres

The soft moisture wicking fibres of Delta Terry-Net[™] S provide improved patient comfort and reduced maceration whilst providing increased protection both in-situ and upon removal.

Ordering information

Ref. No.	Size	Items per Unit
72306-00	5cm x 13.5m	bx/1
72306-01	7.5cm x 13.5m	bx/1
72306-02	10cm x 13.5m	bx/1



Non-invasive fracture treatment pathway

Primary Immobilisation

Secondary Immobilisation

Undercast Materials

Cast Removal Equipment

Cast Protection

21

Orthopaedic

Soft Goods

deSoutter **Cast Removal System – CC4**

The powerful CC4 CleanCast™ saw and dust extraction system comprises of the CC4 mains voltage oscillating saw, extraction hood and the CCS portable extractor unit with highly efficient dust filtration capability.

Powerful 110 Watt Motor

Maintains rapid and efficient cutting on the thickest of body casts

Control and Maneuverability

Knurled grip close to saw blade provides operator with greater flexibility of movement.

Visibility

Clear polycarbonate extraction hood offers excellent visibility when cutting. The hood is fully rotatable to suit the most convenient cutting position.

Low Noise

The CCS Extractor Unit is exceptionally quiet at only 58dB(A) and has two speed settings.

Four Levels of Filtration

A filtration level of 99.997% on all dust particles greater than 0.5 microns is achieved with the extractor.

CC4 Saw Specifications

Oscillating speed: Voltage: Weight: Sound level: Length:

14000 osc/min. 230V 1.3 kg 70 dB(A) 333 mm



Ordering information

deSoutter Code	Description	Items per Unit
1281444	Cast Saw deSoutter Model CC4	1
CC4A-230AUS	Cast Saw deSoutter Model CC4 (Including Extractor Unit)	1
9490AUS	Dust Extractor Unit Model 230v	1
78472	Dust Extractor Hose Kit for CC4	
602763	Dust Bags for CCS Extractor	1
6250	Cast Saw Blade to suit deSoutter 64mm	1
	Code 1281444 CC4A-230AUS 9490AUS 78472 602763	CodeDescription1281444Cast Saw deSoutter Model CC41281444Cast Saw deSoutter Model CC4CC4A-230AUSCast Saw deSoutter Model CC4 (Including Extractor Unit)9490AUSDust Extractor Unit Model 230v78472Dust Extractor Hose Kit for CC4602763Dust Bags for CCS Extractor6250Cast Saw Blade to suit

Contents

Non-invasive fracture treatment pathway

Secondary Immobilisation

Primary

Immobilisation

Undercast Materials

Cast Removal Equipment

Cast Protection Orthopaedic

deSoutter **Cast Removal System – CC5**



performance and durability you've come to

Low Voltage for Increased Safety

expect with all deSoutter Medical products.

The CleanCast[™] low voltage saw and integrated extractor system combines state-of-the-art ergonomics with the

Saw operates at only 25v d.c.

Integral Dust Extraction Path

Vacuum is ducted internally through the handpiece to provide better visibility and handling.

Two Speed Control on Both Saw and Extractor

Quiet, low speed setting is ideal for use with children, whilst high speed setting allows thick body casts to be cut quickly.

Four Levels of Filtration

A filtration level of 99.997% on all dust particles greater than 0.5 microns is achieved with the extractor.

Low Noise

Specially designed rubber motor mounts insulate the internal mechanism from the outer case. This results in an extremely low sound.

CC5 Saw Specifications

High Oscillating speed: Low Oscillating speed: Voltage: 230V Weight: Sound Level: Length:

16000 osc/min. 11800 osc/min. 0.85 kg 68 dB(A) 245 mm

Primary



Ordering information

deSoutter Code	Description	Items per Unit
CC5A-230AUS	Cast Saw deSoutter Model CC5 (Including Extractor Unit)	1
9490AUS	Dust Extractor Unit Model 230v	1
6400	Dust Extractor Hose Kit for CC5	1
602763	Dust Bags for CCS Extractor	1
6250	Cast Saw Blade to suit deSoutter 64mm	1
	Code CC5A-230AUS 9490AUS 6400 602763	CodeDescriptionCodeCast SawCC5A-230AUSCast SawdeSoutter Model CC5 (Including Extractor Unit)9490AUSDust Extractor Unit Model 230v6400Dust Extractor Hose Kit for CC5602763Dust Bags for CCS Extractor6250Cast Saw Blade to suit





Non-invasive fracture treatment pathway

Immobilisation

Secondary Immobilisation

Undercast Materials

Cast Removal Equipment

Cast Protection

23

Orthopaedic

deSoutter **Battery Powered Saw – CSB-100**



The deSoutter Medical CSB-100 saw permits the user total freedom of movement which is particularly useful for emergency departments, ward work, veterinary clinics and numerous other applications where the cordless concept is the only practical solution.

CSB-100 Saw Specifications

Oscillating speed: Voltage: Weight:

16000 osc/min. 10.8 Vdc 1.05 kg

Battery Charger Specifications

Supply voltage: Supplier frequency:

100-240 Vac 50-60 Hz

Supplied with interchangeable mains supply adaptors for use in most countries.





Ordering information

Ref. No.	deSoutter Code	
CSB-100 C	ast Saw	
1286774	73065-00	
		CSB-100 Saw
		CB-100 Battery x 2
Incl	udes:	BC-100 charger
Inci	udes:	Saw Blade
		Hexagon Wrench
		Carry Case

Contents

Non-invasive fracture treatment pathway

Primary Immobilisation

Secondary Immobilisation

Undercast Materials

Cast Removal Equipment

Cast Protection

24

Orthopaedic

deSoutter Battery/Mains Powered Saw – CSP-201








29mm Ref No. 15320

73356-02



CSP-1201 Saw Specifications

Oscillating speed: Weight: Sound level:

14800-17500 osc/min. 319 grams 55 dB(A)

Battery Specifications

Capacity: 30.8 Wh Weight: 437 grams Charging time from flat: < 3 hours

Supplied with interchangeable mains supply adaptors for use in most countries.

- Soft start feature with noise control helps minimise patient anxiety
- Continuous 2 hour cutting performance
- Built-in service reminder 300 charging cycles
- Display allows the user to select the optimum cutting speed and view the remaining battery capacity
- Micro processor controlled voltage booster ensures constant cutting performance - zero deterioration

Ordering information

15250 BP-2	-201 Saw and Cable
CSF 15250 BP-:	-201 Saw and Cable
15250 BP-2	-201 Saw and Cable
15270 IC-	201 Battery Pack Pro
	201 Inter Connector
Includes:	-201 Power Supply
15290	Carry Case
15300	Wrench
73356-01 15310	Saw Blade
73356-02 15320	



Contents

Non-invasive fracture treatment pathway

Secondary Immobilisation

Primary

Undercast Immobilisation Materials

Cast Removal Equipment

Cast Protection



Cast Room Accessories

Cast Saw Blades

- Available in PTFE (Teflon), extra durable titanium nitride and stainless steel coatings
- Range of sizes and profiles to cover all requirements
- Suits deSoutter Cast Saws

Cast Spreaders

- High quality surgical stainless steel construction
- Spring loaded handles for easy use

Cast Removal Shears

- Ideal for cutting casting materials, paddings, felt, etc
- High quality surgical stainless steel construction

Cast Scissors

- Lister 200mm bandage scissors
- High quality surgical stainless steel construction



Ordering information

Ref. No.			Items per Unit
Cast Saw E	Blades		
	6230	Circular PTFE Coated 44mm	1
72033-25	6240	Circular PTFE Coated 50mm	1
72033-08	6250	Circular PTFE Coated 64mm	1
72033-03	6260	Segment PTFE Coated 80mm	1
72033-10	67400065	Circular Stainless Steel 64mm	1
Cast Sprea	ders		
73410-00	5120	Small	1
73066-00	5130	Large	1
Cast Remo	val Shears		
73066-01	7680		1
Cast Scisso	ors		
72937-00		20cm Lister	1
72294-02		20cm Clean Cut	1

Secondary Undercast Immobilisation Materials Cast Removal Equipment

oval Cast nt Protection

Soft Goods

26

Non-invasive fracture treatment pathway

BSN Cast Shoe

Open Toe Cast Shoe



- Precise fit
- Rocker bottom •

Durable Cast Shoes

The BSN Cast Shoe is constructed with quality materials using the highest manufacturing standards. Constructed with a heavy canvas upper, it is a premium cast shoe at an affordable price. Three hook and loop enclosures ensure a precise fit while the rocker bottom helps promote normal gait pattern.

Advantages

- High level of durability
- Precise fit
- Maximum shock absorption
- Comfortable and easy to apply

Ordering information

Ref. No.		Size	Items per Unit
71427-03	Toddler	16.5cm x 9cm	1 shoe
71427-04	Extra Small	19cm x 10cm	1 shoe
71427-05	Small	22cm x 10.5cm	1 shoe
71427-06	Medium	26.5cm x 11.5cm	1 shoe
71427-07	Large	30cm x 13cm	1 shoe
71427-08	Extra Large	32cm x 13.5cm	1 shoe

Contents

Non-invasive fracture treatment pathway

Primary Immobilisation

Secondary Immobilisation

Undercast Materials

Cast Removal Equipment

Cast Protection Orthopaedic

Actimove® Genu ECO Knee Immobiliser



- · Comfortable and skin-friendly
- · Low profile and effective patient fit
- Washable

Actimove® Genu ECO Knee Immobiliser supports the knee and helps to reduce pain after trauma or surgery.

Advantages

- · Pre-shaped foam for knee and calf
- A detachable hook and loop sensitive closure system with D-rings permits individual patient adjustments
- · Removable and adjustable aluminium stays allow good anatomical fit
- Terry cloth interior padding for patient comfort
- Splint is washable for additional patient hygiene

Extension Tabs

- · Foam tabs, with hook, attach to ECO Knee Immobiliser to increase the width of the device
- This system fits wider leg circumferences, reducing inventory of sizes



Indications

• Following surgery, soft tissue injuries and minor fractures in the knee region

Ordering information Sizing Chart



OIZING ONC			17	/ /
Ref. No.	Size	M	easuren	nents
72819-72	P1	120cm	30cm	< 32cm
72819-73	P2	i < 140cm	40cm	< 42cm
72819-08	A1–S	160cm	50cm	< 52cm
72819-09	A2–L	160cm	50cm	45-65cm
72819-10	B1–S	180 cm	60cm	< 52cm
72819-11	B2–L	180cm	60cm	45-65cm
72819-12	C1–S	> 180cm	70cm	< 52cm
72819-13	C2–L	> 180cm	70cm	45-65cm
Eco Knee E	xtension	Tabs		
72819-74		Small		pk/10
72819-75		Medium		pk/10
72819-76		Large		pk/10

*Extension Tabs exist in three sizes adapted to the three lengths of the Actimove ECO Knee Immobiliser.

Contents

Non-invasive fracture treatment pathway

Primary Immobilisation

Secondary Immobilisation

Undercast Materials

Cast Removal Equipment

Cast Protection Orthopaedic Soft Goods

28

Actimove[®] Genu Tri-Panel Knee Immobiliser



- Two sizes fit all
- Effective patient fit
- Washable

Actimove[®] Genu Tri-Panel Knee Immobiliser supports the knee and helps to reduce pain after trauma or surgery.

Special Design Features

- Panels allow splint adjustments for a broad spectrum of patient leg circumferences
- Hook and loop sensitive closure system permits
 easy application and removal
- Removable and adjustable aluminium stays allow good anatomical fit
- Terry cloth interior padding for patient comfort
- Splint is washable for additional patient hygiene



Indications

• Following surgery, soft tissue injuries and minor fractures in the knee region

Ordering information Sizing Chart



			23			
Ref. No.	Size	Measurements				
72819-14	A1–S 👘	< 160cm	50cm	< 62.5cm		
72819-15	A2-L 👘	< 160cm	50cm	< 62.5cm		
72819-16	B1–S 👘	< 160cm	50cm	< 62.5cm		
72819-17	B2–L 👘	< 160cm	50cm	< 62.5cm		

Non-invasive fracture treatment pathway

Primary S Immobilisation Ir

Secondary Immobilisation Undercast Materials Cast Removal Equipment

Cast Protection

29

Orthopaedic

Actimove[®] Lower Leg Walker





UK

US

EU

Quick and easy application

Superior comfort •

A high-quality rigid outer skeleton ensures high protection of the foot, ankle and lower leg. Circumferential strapping, a shock absorbing sole and breathable materials provide great comfort for the patient. The rocker bottom of the Actimove® Walker facilitates a natural physiological gait when walking.

Actimove® Air Walker

Actimove[®] Air Walker has a liner which can be inflated for oedema control. In just a few pumps, the inflated liner can reduce the void around the foot and ankle. This improves intimacy of fit, reduces unwanted movement, and allows for optimal patient comfort and wearing tolerance.

Comfort

Anatomically contoured struts prevent ankle motion without causing friction against the sides of the calf. A full-length insole of pressure mouldable comfort foam conforms to the foot.

Indications

- Available in 5 sizes (XS, S, M, L, XL) •
- Suited for a broad range of post operative and post trauma applications

Size

Ordering information

Ref.No.

Standard Walker

High	Low				Shoe Size	
76270-35	76270-30	XS	ŕ	< 3.5	< 4.5	< 36.5
10210-33	10210-30	~3	Å	< 3	< 6	< 36
76270-36	76270-31	S	İ	4-6.5	4.5-7	36-39.5
10210-30	10210-31	3	Å	3.5-5.5	6-8	36.5-38.5
76270-37	76270-32	М	ř	7-9.5	7.5-10	40-44
10210-01	10210-02		İ	6-8.5	8.5-11	39-43
76270-38	76270-33		ŕ	10-12	10.5-12.5	44.5-46.5
10210-00	10210-00		ř	9-11	11.5-13.5	44-46
76270-39	76270-34	XL	ř	> 12	> 12.5	> 46.5
10210-39	70270-34	AL (Å	> 11	> 13.5	> 46
Air Walker						
High	Low				Shoe Size	
76272-35	76272-30	XS	İ	< 3.5	< 4.5	< 36.5
10212-00	10212-00	70	ř	< 3	< 6	< 36
76272-36	76272-31	S	ŕ	4-6.5	4.5-7	36-39.5
10212-30	10212-01	3	Å	3.5-5.5	6-8	36.5-38.5
76272-37	76272-32	M	ŕ	7-9.5	7.5-10	40-44
10212-01	10212-02	IVI	Ť.	6-8.5	8.5-11	39-43
76272-38	76272-33	L	İ	10-12	10.5-12.5	44.5-46.5
10212-30	10212-00	L (Å	9-11	11.5-13.5	44-46
76272-39	76272-34	XL	İ	> 12	> 12.5	> 46.5
10212-09	10212-04	~L		> 11	> 13.5	> 46

Contents

Non-invasive fracture treatment pathway

Primary Immobilisation

Secondary Immobilisation Undercast Materials

Cast Removal Equipment

Cast Protection

30

Orthopaedic

Actimove[®] Solea Post-Op Shoe



- Wide construction allows application of bulky bandage or wound dressing
- Rigid sole reduces foot and toe flexion
- Soft and breathable liner
- Extra padding in the heel area for advanced comfort
- The hook and loop closure system facilitates easy application
- Anti-slip shoe sole provides a safe surface for patient ambulation
- Universal fit for left and right foot



Indications

• To help protect the foot following surgery of the foot and/or/toes

Ordering information

Ref. No.	Size	EU	UK	Items per Unit
		Shoe	Size	
72819-51	1	36	3	pk/1
72819-52	2	37-38	5	pk/1
72819-53	3	39-40	6-7	pk/1
72819-54	4	41-42	8	pk/1
72819-55	5	43-44	9	pk/1
72819-56	6	45	10	pk/1

Orthopaedic Soft Goods

Contents

Non-invasive fracture treatment pathway

Primary Se Immobilisation Im

Secondary Immobilisation

Undercast Materials Cast Removal Equipment

Cast Protection

31

Orthopaedic

Actimove® Umerus Comfort

Shoulder Immobiliser



- Helps to prevent patients from experiencing neck pressure and the hassle of a moving neck pad thanks to the broad 5.5 cm wide sling
- Improves shoulder stabilisation through the waist strap which can be adjusted to suit most patients
- Allows for better hand positioning through the thumb loop which limits the rotation of the forearm while still allowing full finger movement
- · Simple to apply and adjust for an individual fit with easy threading through the freely rotating O-rings
- · Patients with a compromised arm can easily take the immobiliser off and back on, as a onehanded self-application is helped by the hook and loop Y-Tabs and open-and-close pocket design
- · Cares for clothes through the gentle pocket material
- Machine washable at 40°C •
- Radiolucent •
- Metal-free

Actimove® Umerus Comfort is the superior comfort shoulder and upper arm immobiliser for limited abduction, extension, internal and external rotation of the humerus. Patients will appreciate the easy application and breathable material while they are immobilised.



Indications

- Postoperative support
- Fracture management (e.g. clavicle, scapular, humeral, and greater tuberosity fractures)
- Joint dislocations (e.g. acromioclavicular & sternoclavicular dislocations, shoulder luxation)
- Inflammatory diseases (e.g. calcific tendinitis of the rotator cuff)
- Minor instability of the shoulder
- Support for hemiplegic patients



Ordering information Sizing Chart





Non-invasive fracture treatment pathway

Secondary Primary Immobilisation

Immobilisation

Undercast Materials

Cast Removal Equipment

Cast Protection Orthopaedic

Actimove® Umerus

Shoulder Immobiliser



- Improves shoulder stabilisation through the waist strap which can be adjusted to suit most patients
- Allows for better hand positioning thanks to the thumb loop which limits the rotation of the forearm while still allowing full finger movement
- · Simple to apply and adjust for an individual fit with easy threading through the freely rotating **O-rings**
- Machine washable at 40°C ٠
- Radiolucent
- Metal-free

Actimove® Umerus is the cost-effective shoulder and arm immobiliser for limited abduction, extension, internal and external rotation of the humerus.

It helps to keep your inventory low, as it fits on both left and right arm, available in four sizes for your patients who will appreciate its easy application.



Indications

- Post operative support
- Fracture management (e.g. clavicle, scapular, humeral, and greater tuberosity fractures)
- Joint dislocations (e.g. acromioclavicular & sternoclavicular dislocations, shoulder luxation)
- · Inflammatory diseases (e.g. calcific tendinitis of the rotator cuff)
- Minor instability of the shoulder
- Support for hemiplegic patients



Ordering information Sizing Chart



Ref. No.	Size	Measurements	Items per Unit
72819-65	S	< 37 cm	1 immobiliser
72819-66	М	37 – 40 cm	1 immobiliser
72819-67	L	40 – 43 cm	1 immobiliser
72819-68	XL	> 43 cm	1 immobiliser

Orthopaedic Soft Goods

Contents

Non-invasive fracture treatment pathway

Secondary Immobilisation

Primary

Immobilisation

Undercast Materials

Cast Removal Cast Equipment Protection

33

Actimove[®] Mitella Comfort Arm Sling



- Helps to prevent patients from experiencing neck pressure and the hassle of a moving neck pad thanks to the broad 5.5cm wide sling
- Allows for better hand positioning through the thumb loop which limits the rotation of the forearm while still allowing full finger movement
- Simple to apply and adjust for an individual fit with easy threading through the freely rotating O-rings
- Patients with a compromised arm can easily take the support off and back on, as a onehanded self-application is helped by the hook and loop Y-Tabs and open-and-close pocket design
- Cares for clothes through the gentle pocket material, while also protecting casts or bandaging from moisture and dirt
- Machine washable at 40°C
- Radiolucent
- Metal-free

Actimove[®] Mitella Comfort is the superior comfort arm support. Patients will appreciate the easy application and breathable material.



Indications

Postoperative support

- Fracture management (e.g. clavicle, scapular, humeral, and greater tuberosity fractures)
- Joint dislocations (e.g. acromioclavicular & sternoclavicular dislocations, shoulder luxation)
- Inflammatory diseases (e.g. calcific tendinitis of the rotator cuff)
- Minor instability of the shoulder
- Support for hemiplegic patients
- Support while wearing a cast or splint
- Temporary arm stabilisation in emergency/ paramedic care



Ordering information Sizing Chart



Ref. No.	Size	Measurements	Items per Unit
72819-61	S	< 37 cm	1 support
72819-62	М	37 – 40 cm	1 support
72819-63	L	40 – 43 cm	1 support
72819-64	XL	> 43 cm	1 support



Non-invasive fracture treatment pathway

Primary Se Immobilisation Im

Secondary Immobilisation Undercast Materials Cast Removal Cast Equipment Protection Orthopaedic

Orthopaedic Soft Goods

Actimove® Mitella Arm Sling



- Allows for better hand positioning thanks to the thumb loop which limits the rotation of the forearm while still allowing full finger movement
- · Simple to apply and adjust for an individual fit with easy threading through the freely rotating **O-rings**
- · Cares for clothes through the gentle pocket material, while also protecting casts or bandaging from moisture and dirt
- Machine washable at 40°C ٠
- Radiolucent •
- Metal-free

Actimove® Mitella is the cost-effective arm support. It helps to keep your inventory low, as it fits on both left and right arm, available in four sizes for your patients who will appreciate its easy application.



Indications

- Postoperative support
- Fracture management (e.g. clavicle, scapular, humeral, and greater tuberosity fractures)
- Joint dislocations (e.g. acromioclavicular and sternoclavicular dislocations, shoulder luxation)
- Inflammatory diseases (e.g. calcific tendinitis of the rotator cuff)
- Minor instability of the shoulder
- Support for hemiplegic patients
- · Support while wearing a cast or splint
- Temporary arm stabilisation in emergency/ paramedic care



Ordering information Sizing Chart



Ref. No.	Size	Measurements	Items per Unit
72819-57	S	< 37 cm	1 immobiliser
72819-58	М	37 – 40 cm	1 immobiliser
72819-59	L	40 – 43 cm	1 immobiliser
72819-60	XL	> 43 cm	1 immobiliser

Contents

Non-invasive fracture treatment pathway

Secondary Immobilisation Immobilisation

Primary

Undercast Materials

Cast Removal Equipment

Cast Protection Orthopaedic

Actimove® Mitella for Kids Arm Sling



- Distracts girls and boys from an often traumatic situation through the unique, playful pattern
- · Helps to drive compliance in children by providing comfort while wearing
- · Simple to apply and adjust for an individual fit with easy threading through the freely rotating **O-rings**
- Cares for clothes through the gentle pocket material, while also protecting casts or bandaging from moisture and dirt
- Machine washable at 40°C
- Radiolucent •
- Metal-free

Actimove® Mitella for Kids is the child-friendly arm support with a fun and colourful pocket to make kids, parents and clinicians smile. It provides stable support and fits on both left and right arm with universal paediatric sizing, fitting most smaller patients.



Indications

- · Support while wearing a cast or splint
- Fracture management (e.g. clavicle, scapular, humeral, and greater tuberosity fractures)
- Temporary arm stabilisation in emergency/ paramedic care
- Joint dislocations (e.g. acromioclavicular and sternoclavicular dislocations, shoulder luxation)
- Postoperative support
- Minor instability of the shoulder
- Support for hemiplegic patients



Ordering information

	Ref. No.	Size		Items per Unit	
	74561-13	One size - child		1 support	
Secondary Immobilisation	Undercast Materials	Cast Removal Equipment	Cast Protectio	Orthopaedic on Soft Goods	

Non-invasive fracture treatment pathway

Primary Immobilisation

36

Actimove® Sling Collar and Cuff Support



- · Comfortable and secure support
- Strong, secure "Y" closure tabs
- Convenient dispenser box presentation

The padded strap and "Y" closure tabs of the Actimove® Sling provide effective vertical support to the collarbone and upper limb area.

Advantages:

- Extra patient comfort with padded strap
- Y-Tab hook system facilitates secure clinical positioning
- Convenient dispenser box presentation
- 28 Y-Tabs are included in each box. Additional Y-Tabs can be purchased, if required



Indications

Following trauma injuries, collarbone injuries and soft tissue injuries

Ordering information

			Ref. No.	Size	It	ems per Unit
			72859-18	2 rolls x 12	2m	2 rolls/bx
			Y-Tabs			
			73466-00	14 tabs/p	okt	pk/1
Non-invasive fracture treatment pathway	Primary Immobilisation	Secondary Immobilisation	Undercast Materials	Cast Removal Equipment	Cast Protectio	Orthopaedic n Soft Goods

Contents

Ν tr

Actimove® Sling for Kids

Collar and Cuff Support



- Distracts girls and boys from an often traumatic situation through the unique, playful pattern
- Easily remove the sling from the poly bag by cutting an opening on top for access to the middle of the roll
- Drives patient compliance through increased comfort, as rolling of the sling is prevented by the three lengthwise seams
- When removing the sling, this can be done without opening the Y-Tabs (includes 14 Y-Tabs)
- Machine washable at 40°C ٠
- Radiolucent •
- Metal-free

Actimove[®] Sling for Kids is the child-friendly arm sling in a fun and colourful pattern to make kids, parents and clinicians smile.

The one-roll polybag pack uses little storage space and allows for easy access to the sling through its top opening system. Individually adjustable in length, provide arm slings for a stable and supported forearm through various application styles in one product.



Indications

- Fracture management (e.g. clavicle, scapular, humeral, and greater tuberosity fractures)
- · Support while wearing a cast or splint
- Joint dislocations (e.g. acromioclavicular & sternoclavicular dislocations, shoulder luxation)
- Temporary arm stabilisation in emergency/ paramedic care



Ordering information

Ref. No.	Size		Items per Unit
73117-00	3.6 cm x 10.	8 m	1 roll in a dispenser bag
Hedened		0	0.11
Undercast Materials	Cast Removal Equipment	Cast Protectio	Orthopaedic on Soft Goods

Contents

Non-invasive fracture treatment pathway

Primary Immobilisation

Secondary Immobilisation

Actimove[®] TaloMotion Functional Ankle Support




- Breathable knitting structure for better patient comfort
- 3D anatomical fit for improved wearing comfort
- Special knitting structure in the sole area for higher stability against abrasion
- Seamless integration of pelottes, lined with soft terry cloth
- Soft latex-free materials for enhanced comfort
- Attractive design and colour combination



Advanced knitting structure provides gradient compression and increased stability







Pressure-free cuffs without elastic band prevent constriction



Indications

- Postoperative and post traumatic irritation
- Joint effusion and swelling
- Ankle arthrosis and arthritis
- Tendomyopathy
- Slight ligament instabilities



Ordering information

Sizing Cha	rt		
Ref. No.	Size	Measurements	Items per Unit
Left Foot			
73487-42	XS	17–19cm	pk/1
73487-43	S	19–21cm	pk/1
73487-44	М	21–23cm	pk/1
73487-45	L	23–25cm	pk/1
73487-46	XL	25–27cm	pk/1
Right Foot			
73487-12	XS	17–19cm	pk/1
73487-13	S	19–21cm	pk/1
73487-14	М	21–23cm	pk/1
73487-15	L	23–25cm	pk/1
73487-16	XL	25–27cm	pk/1

Sand Street

Contents

Non-invasive fracture treatment pathway

Primary Se Immobilisation Im

Secondary Immobilisation

Undercast Materials Cast Removal Equipment Cast Protection

Orthopaedic

Soft Goods

Actimove® GenuMotion


Functional Knee Support



- Innovative, award-winning Helix Design
- 3D anatomic fit for better fit and wearing comfort
- Anatomically shaped pelotte stabilises the patella and improves proprioception
- Spiral stays support lateral stabilisation
- Seamless integration of stays and pelotte, lined with soft terry cloth
- Breathable knitting structure for better patient comfort
- Soft, latex-free materials for enhanced comfort



Advanced knitting structure provides gradient compression supporting pain relief



Specially designed Motion Comfort Zone in the popliteal area, pleasantly soft and almost pressure free



Pressure-free cuffs for a nonslip fit with no constriction



Indications

- Arthrosis
- Arthritis
- Minor instabilities of the knee joint
- Minor meniscus damages
- Weak ligaments



Ordering information

Ref. No.	Size	Items per Unit
73468-11	X-Small	pk/1
73468-12	Small	pk/1
73468-13	Medium	pk/1
73468-14	Large	pk/1
73468-15	X-Large	pk/1
73468-16	XX-Large	pk/1

Contents

Non-invasive fracture treatment pathway

Primary Se Immobilisation In

Secondary Immobilisation Undercast Materials Cast Removal Equipment

Cast Protection

40

Orthopaedic

Soft Goods

Actimove® ManuMotion

Functional Wrist Support



- Advanced knitted structure for targeted compression
- · Mouldable stay stabilises the wrist in a functional position and supports pain relief
- Dorsal pressure pad supports the natural lymph flow and helps reduce swelling
- Soft motion comfort zone in the thumb area for high wearing comfort
- · Inelastic wrist band for additional wrist stabilisation



Indications

- Arthritis, rheumatoid arthritis
- Tenosynovitis •
- Tendomyopathy, Tendopathy
- Post operative
- Irritations of soft tissue •
- Distortion, contusion



Ordering information

•			
Ref. No.	Si	ze	Items per Unit
73497-12	Right	X-Small	pk/1
73497-13	Right	Small	pk/1
73497-14	Right	Medium	pk/1
73497-15	Right	Large	pk/1
73497-16	Right	X-Large	pk/1
73497-42	Left	X-Small	pk/1
73497-43	Left	Small	pk/1
73497-44	Left	Medium	pk/1
73497-45	Left	Large	pk/1
73497-46	Left	X-Large	pk/1

Non-invasive fracture treatment pathway

Secondary Immobilisation Immobilisation


Primary

Undercast Materials

Cast Removal Cast Equipment Protection

Orthopaedic Soft Goods

Actimove[®] **Rhizo Forte**



- Firm cervical support
- Easy to apply •
- · Convenient colour coded identification system

Actimove® Rhizo Forte brace is designed to restrict thumb movement whilst maintaining the daily functionality of the hand. The Red Dot® award winning design ensures the immobilisation of the CMC and MCP joints without restricting the movement of the wrist and the other four fingers.

Special features:

- Low profile design with smooth edges for high wearing comfort
- Composition and design that is easy to clean
- Closures which allow the brace to be easily secured with one hand
- Effectively restricts thumb movement, while leaving the four fingers and the wrist to move freely
- Mouldable aluminium core is easily adjustable for a perfect fit



Indications

- · Painful conditions and irritations of the thumb joints (e.g. Osteoarthritis)
- Rheumatoid Arthritis of the thumb
- Ulnar Collateral Ligament injuries of the MCP1 Joint (e.g. Skier's thumb)
- Soft tissue injuries (e.g. sprains)
- Ligament instability
- Post operative immobilisation

Ordering information

Ref. No.	Size	Items per Unit
76238-00	Small Right	bx/1
76238-01	Smal Left	bx/1
76238-02	Medium Right	bx/1
76238-03	Medium Left	bx/1
76238-04	Large Right	bx/1
76238-05	Large Right	bx/1

Orthopaedic Soft Goods



reddot award 2014 winner

Contents

Non-invasive fracture treatment pathway

Secondary Immobilisation

Primary

Immobilisation

Undercast Materials

Cast Removal Cast Equipment

Orthopaedic Protection Soft Goods

Orthopaedic Soft Goods

Actimove® Manus Forte

Wrist Immobiliser



- Secure wrist stabilisation supports pain relief
- Anatomically shaped aluminium stay, mouldable for individual fit
- Wide thumb opening with soft edges for high wearing comfort
- Smart slip-on construction, easy to apply with one hand
- Security of hook & loop closures prevent straps from slipping out of their buckles
- Soft, breathable materials to support the natural skin climate



Indications

- Pain and irritation of the wrist joint (i.e. carpal tunnel syndrome)
- Post operative and post traumatic irritation
- Tendinitis, Tenosynovitis
- Osteoarthritis of the wrist



Ordering information

Ref. No.	Size	Items per Unit
73482-01	Small Right	bx/1
73482-02	Small Left	bx/1
73482-03	Small/Medium Right	bx/1
73482-04	Small/Medium Left	bx/1
73482-05	Large/X-Large Right	bx/1
73482-06	Large/X-Large Left	bx/1

Non-invasive fracture treatment pathway

Primary Se Immobilisation Im

Secondary Immobilisation Undercast Materials Cast Removal Cast Equipment Protection

Actimove® Manus Forte Plus

Wrist & Thumb Immobiliser



- Secure wrist and thumb stabilisation supports pain relief
- Two anatomically shaped aluminium stays, mouldable for individual fit
- · Flat thumb seam for high wearing comfort
- Inelastic wrist strap runs counter-clockwise to prevent rotation of the brace
- Special security hook & loop closures prevent straps from slipping out of their buckles



Indications

- Irritation of the thumb saddle joint and/or proximal MCP joint of the thumb
- · Acute and chronic pain and irritation in wrist and thumb joint
- Arthrosis
- Tenosynovitis
- Post operative and post traumatic irritation



Ordering information

Ref. No.

73496-03

73496-33

73496-04

73496-34

73496-06

73496-36



Smart slip-on construction, easy to apply with one hand



Soft, breathable materials to support the natural skin climate



Adjustable diagonal thumb strap for effective stabilisation



Contents

Non-invasive fracture treatment pathway

Primary Immobilisation

Secondary Immobilisation

Undercast Materials

Cast Removal Equipment

Size

Small Right

Small Left

Small/Medium Right

Small/Medium Left

Large/X-Large Right

Large/X-Large Left

Cast Orthopaedic Protection Soft Goods

Items per Unit

bx/1

bx/1

bx/1

bx/1

bx/1

bx/1

Actimove® EpiMotion

Functional Elbow Support



- Supports pain relief, helps reduce swelling and promotes the healing process
- Two anatomically shaped pelottes provide ٠ targeted pressure to the epicondylar tendons
- · Seamless terry cloth liner for enhanced comfort
- Epicondyle cut-outs and helix design facilitate correct positioning
- High-quality latex-free materials for breathability and soft touch
- · Attractive design and color combination improve patient compliance



Advanced knitted structure providing gradient compression







Pressure-free cuffs without elastic band prevent constriction

Primary



Indications

- Epicondylopathies, e.g. tennis or golfer's elbow
- Degenerative changes in the elbow
- Joint inflammation
- Post operative or post traumatic irritation •
- Tendomyopathies



Ordering information

Ref. No.	Size	Items per Unit
73477-12	X-Small	pk/1
73477-13	Small	pk/1
73477-14	Medium	pk/1
73477-15	Large	pk/1
73477-16	X-Large	pk/1
73477-17	XX-Large	pk/1

Contents

Non-invasive fracture treatment pathway

Secondary Immobilisation

Immobilisation


Undercast Materials

Cast Removal Equipment

Cast Protection Soft Goods

Orthopaedic

Actimove[®] Cervical Cervical Collar



- Pre-shaped foam for anatomical fit
- Soft cover material for patient comfort
- Covers a wide range of neck sizes
- Available in medium density for medium support



Indications

- Acute neck injuries
- Chronic cervical syndromes

Ordering information

Ref. No.	Size	Measurement	Items per Unit
72819-25	X-Small	Length 26–33cm, Height 6.5cm	bx/1
73497-03	Small	Length 30–36cm, Height 7.5cm	bx/1
73497-04	Medium	Length 33–39cm, Height 9cm	bx/1
73497-05	Large	Length 36–42cm, Height 10cm	bx/1
73497-06	X-Large	Length 39–45cm, Height 11cm	bx/1
73497-32	X-Large (short)	Length 38–48cm, Height 7cm	bx/1

Orthopaedic Soft Goods

Contents

Non-invasive fracture treatment pathway

Primary S Immobilisation

Secondary Immobilisation Undercast Materials Cast Removal Cast Equipment Prote

Cast Orthopaedic Protection Soft Goods

Actimove® Vertebrace

Extrication Collar



- Firm cervical support
- Easy to apply •
- Convenient colour coded identification system

Actimove[®] Vertebrace is a simple to use, lightweight, padded support device used to help immobilise the cervical vertebrae. Actimove® Vertebrace is designed to aid in supporting and limiting movement of the patient's head and neck during transfer to a backboard. Properly applied, the collar completely encircles the neck and provides rigid support for the head, chin and base of the skull. All materials are radiolucent so that x-rays may be taken with the collar in place.

Special Features:

- Large tracheostomy opening
- X-ray transparent
- One piece construction with integral flip-up chin support. No assembly required
- Reinforced back provides firm cervical support •
- Stack flat or roll tight for efficient storage



Easy to use sizing guide

Colour-coded Velcro band closure allows quick identification of a full range of sizes



Indications

- Temporary management of traumatized cervical spine to help prevent further injury
- Osteoarthritis and accompanying trauma or strains
- Muscle spasms and musculoligamentous tears or strains
- Cervical tendinitis
- Post cervical fusion
- · Foundation for cervical casting

Ordering information

Ref. No.	Size	Items per Unit
Paediatric Short - Li	ght Blue	
79300-00	7cm x 44cm	1
Paediatric Red		
79391-00	9cm x 45cm	1
Extra Short - Green		
79302-00	7cm x 57cm	1
Short - Yellow		
79303-00	9cm x 57cm	1
Regular - Orange		
79304-00	12cm x 57cm	1
Tall - Navy		
79305-00	114cm x 57cm	1

Contents

Non-invasive fracture treatment pathway

Primary Immobilisation

Secondary

Immobilisation

Undercast Materials

Cast Removal Equipment

Cast Protection

47

Orthopaedic

Soft Goods



ESS0045 09/2019

BSN medical Australia & New Zealand an Essity company

L6, 211 Wellington Road, Mulgrave, Victoria Australia 3170 PO Box 337, Mount Waverley, Victoria 3149 Customer Service Australia T 1300 998 810 F 1300 998 820 www.bsnmedical.com.au

Customer Service New Zealand T 0508 998 810 F 0508 998 820 www.bsnmedical.co.nz

Cast

Contents

Non-invasive fracture treatment pathway

Primary Immobilisation

Secondary

Immobilisation

Undercast Materials

Cast Removal Equipment

Orthopaedic Protection Soft Goods